

NORMA SERIES Highbay Light

KEY FEATURES

Beautiful profile, adopting isolated double cavity design could have the separate heat dissipation


Luminarie is as high as 130lm/W.

High pressure die-cast aluminum, surface with electrostatic plastic coating.

Anti-glare function under the condition of without shade.



DIMENSIONS



TECHNICAL SPECIFICATION


MODEL NUMBER	W	lm	K	A
NR-NORMA-M1-01	55	7150lm	3000K 4000K 5000K 6000K	60°/120°
NR-NORMA-M2-01	55	7150lm		
NR-NORMA-M3-01	110	14,300lm		
NR-NORMA-M4-01	110	14,300lm		
NR-NORMA-M5-01	150	19,500lm		
NR-NORMA-M5-02	200	26,000lm		
NR-NORMA-M6-01	150	19,500lm		
NR-NORMA-M6-02	200	26,000lm		

Fabiia, G08, The Light Box, 111 Power Road, Chiswick, London W4 5PY, United Kingdom.
 contact@norse.lighting | www.norse.lighting

Please note: Specification values may change due to rapid development of lighting technology. Data may be rounded up/down for illustrative purposes. Tolerance range of optical and electrical data is +/-10%. We reserve the right to amend or change details without prior notification.

NORMA SERIES HIGHBAY LIGHT

PHOTOMETRIC DRAWINGS



Fabiia, G08, The Light Box, 111 Power Road, Chiswick, London W4 5PY, United Kingdom.
contact@norse.lighting | www.norse.lighting

Please note: Specification values may change due to rapid development of lighting technology. Data may be rounded up/down for illustrative purposes. Tolerance range of optical and electrical data is +/-10%. We reserve the right to amend or change details without prior notification.